




SALES DRAWING SALES DRAWING

SALES DRAWING SALES DRAWING



- NOTES:
1. MATERIAL SPEC. FOR FABRIC: FDA 3 PLY SOLID WOVEN COTTON, $\frac{5}{32}$ " THICK.
 2. MATERIAL SPEC. FOR GASKET: TAN FDA SBR RUBBER DURO 75 ± 5 .
 3. GASKET THICKNESS IS .224 ON EACH SIDE. OVERALL THICKNESS OF PART INCLUDING FABRIC AND GASKET IS $.47 \pm .03$.

REV		BY	DATE	DESCRIPTION
UNLESS OTHERWISE SPECIFIED DIMENSIONAL TOLERANCES FRACTIONAL: $\pm \frac{1}{16}$ X.XX: $\pm .03$ X.XXX: $\pm .015$ ANGULAR: $\pm 1^\circ$ DEBURR ALL SHARP EDGES. ALL MACHINED SURFACES TO HAVE A 125 RMS FINISH UNLESS NOTED OTHERWISE.		DRAWN BY:	CHL	 SALCO PRODUCTS, INC.
		CHECKED BY:	SAB	
		PROTOTYPE BY:	CHL	
THIRD ANGLE PROJECTION		PROTOTYPE DATE:	6/21/2001	PART NAME: PAD PD 3
		APPROVED FOR PRODUCTION BY:	ACC	MATERIAL: SEE NOTES 1 & 2
		PRODUCTION DATE:	2/20/2002	PROJECT #: 980426A
				SHEET #: 1 OF 1
				SCALE: 1:3
				DRAWING #: E15870
				PART #: PD3AP3C23