

BAIER® RAIL SINGLE-BOLT TANK CAR MANWAY SYSTEM – A MODERN SOLUTION FOR THE RAILWAY TANK CAR INDUSTRY

Introduction

The Baier® Single-Bolt Manway System is an innovative new approach for sealing a tank car manway. This patented system is fundamentally different from all other traditional manway designs. This new approach to sealing is created by the single bolt and strongback arm design that facilitates using an O-ring seal. This replaces the compression seal used with multi-bolt manways and flat gaskets. Instead, the single bolt drives a cover with an O-ring into the sealing cylinder on the nozzle. There are no damaged eyebolts, torquing procedures, or unequal loading. The operator can create a more consistent seal in one quick operation with simple hand tools. No retorquing is needed and no special sockets or tools are required.

21st Century Challenge

The need for a better tank car closure system.

Research of existing designs revealed fundamental deficiencies in traditional eyebolt manways (see fig 1), including: permanent deformation of sealing gaskets; stretched eyebolts due to over-torquing and metal fatigue; “scalloped” stress of the cover resulting in unequal sealing and broken flanges on the cover.




Figure 1: 2019 AAR/BOE NAR Breakdown Annual Report

21st Century Solution

Baier® Rail designed the single-bolt manway from the ground up to meet the specific demands of the tank car industry and solve the common causes of NAR’s. Rather than using materials to solve the need for a more consistent seal, Baier Rail rethought the manway concept and came up with a modern solution that increased efficiency, decreased overall costs, and most importantly, reduced NAR’s. All while maintaining the highest production quality and meeting the rigorous regulatory standards of the AAR. The Baier® Single-Bolt Manway System is AAR approved with over 500 covers in service to date. **AAR Approval No: E152106**

Less Maintenance

The system is designed for easier operation and lower maintenance compared to existing manway designs.

One standard Teflon® encapsulated O-ring works for almost all commodities and lasts for more shipping cycles without replacement vs. flat gaskets. In addition, there are no torn or overtorqued gaskets as the O-ring is never mechanically pinched or compressed.

One central ram bolt replaces 6 or 8 threaded eyebolts, which eliminates the maintenance process of checking and replacing damage/worn eyebolts, nuts, washers, and button head rods.



Cost of Ownership

TIME = \$\$

The Baier® Single-Bolt Manway System makes quick work of your loading and unloading operations, saving both time and money.

Maintenance = \$\$

This simple but effective design involves no standard threaded eyebolts; only one ram bolt to open and close with zero retorquing required.

Service Interruptions = \$\$

Baier's Single-Bolt Manway System is designed to help reduce or eliminate NAR fines, mobile repair costs, and logistical interruptions.

For additional details on operations and features of this manway, please contact Salco Products.



Baier® is a registered trademark of Baier Marine Company Inc.
1-844-363-7969 www.baierrail.com



Exclusively Distributed By:
An **A.STUCKI** company
630-685-4661 sales@salcoproducts.com